



PERRY JOHNSON LABORATORY ACCREDITATION, INC.

Certificate of Accreditation

Perry Johnson Laboratory Accreditation, Inc. has assessed the Laboratory of:

Asesoría y Equipos de Inspección S.A. de C.V.(AEISA)

***Calle Lucas Alamán # 1109, Colonia Bella Vista
Monterrey, Nuevo León, México. C.P. 64410***

*(Hereinafter called the Organization) and hereby declares that Organization is accredited
in accordance with the recognized International Standard:*

ISO/IEC 17025:2017

This accreditation demonstrates technical competence for a defined scope and the
operation of a laboratory quality management system
(as outlined by the joint ISO-ILAC-IAF Communiqué dated April 2017):

Mechanical Testing
(As detailed in the supplement)

Accreditation claims for such testing and/or calibration services shall only be made from addresses referenced within this certificate. This Accreditation is granted subject to the system rules governing the Accreditation referred to above, and the Organization hereby covenants with the Accreditation body's duty to observe and comply with the said rules.

For PJLA:

Tracy Szerszen
President

Initial Accreditation Date:

July 20, 2018

Issue Date:

June 16, 2022

Expiration Date:

September 30, 2024

Accreditation No.:

95343

Certificate No.:

L22-440

Perry Johnson Laboratory
Accreditation, Inc. (PJLA)
755 W. Big Beaver, Suite 1325
Troy, Michigan 48084

*The validity of this certificate is maintained through ongoing assessments based on a
continuous accreditation cycle. The validity of this certificate should be
confirmed through the PJLA website: www.pjlab.com*



Certificate of Accreditation: Supplement

Asesoría y Equipos de Inspección S.A. de C.V. (AEISA)

Calle Lucas Alamán # 1109, Colonia Bella Vista
Monterrey, Nuevo León, México. C.P. 64410
Contact Name: Edgar Escalante Phone: 818-374-1428

Accreditation is granted to the facility to perform the following testing:

| FIELD OF TEST | ITEMS, MATERIALS OR PRODUCTS TESTED | SPECIFIC TESTS OR PROPERTIES MEASURED | SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED | RANGE (WHERE APPROPRIATE) AND DETECTION LIMIT |
|--------------------------|--|---------------------------------------|--|--|
| Mechanical ^{FO} | Magnetic Yoke of Electromagnetic Lifting Using a Steel Bar of 10 lbs. (4.5 kg) | Dead Weight Check | ASTM-E1444 7.4.4 ASTM-E709 20.3.7 | 10 lb (4.5 kg) 30 lb (13.5 kg) 50 lb (22.5 kg) |

1. The presence of a superscript FO means that the laboratory performs testing of the indicated parameter both at its fixed location and onsite at customer locations. Example: Outside Micrometer^{FO} would mean that the laboratory performs this testing at its fixed location and onsite at customer locations.

