

MEETS STANDARDS FOR



EN ISO:3059

SPECTROLINE®  
NDT

# OPTI-LUX™ 365 SERIES

LED UV-A Inspection Lamps

OLX-365 SERIES

Spot fluorescent indications in the smallest of spaces.



Rechargeable  
Battery



Bright &  
Uniform Beams



Instant-On  
Operation



Small Space  
Inspection

**CONVENIENT  
ON/OFF SWITCH**  
For easy one-handed  
operation



**ULTRA  
VIOLET  
LED**

**ANODIZED ALUMINUM  
LAMP BODY**

Minimizes corrosion and stands  
up to years of heavy use



**CERTIFICATE OF  
LIGHT OUTPUT**  
included with lamp


AVAILABLE IN  
**4 MODELS:**

High-Intensity & Standard-Intensity  
both with and/or without UV-A pass filters

# OPTI-LUX™ 365 OLX-365 SERIES

MODEL	HIGH INTENSITY	STANDARD INTENSITY	CLEAR FILTER	INTERNAL BACK LIGHT FILTER	NOMINAL STEADY-STATE UV-A (365 nm) INTENSITY at 15 in (38 cm) ①	VISIBLE LIGHT MEASUREMENT	UV-A COVERAGE AREA at 15 in (38 cm) at minimum 1,200 μW/cm²
OLX-365	●		●		10,000 μW/cm²	0.8 foot-candles (8.6 lux)	2 in (5 cm)
OLX-365B	●			●	10,000 μW/cm²	0.4 foot-candles (4.3 lux)	2 in (5 cm)
OLX-365FL		●	●		4,500 μW/cm²	0.3 foot-candles (3.2 lux)	2.5 in (6.3 cm)
OLX-365BFL		●		●	4,500 μW/cm²	0.2 foot-candles (2.1 lux)	2.5 in (6.3 cm)


**Light Source:** UV-A LED  
**Lamp Style:** Cordless flashlight  
**Lamp Head Diameter:** 1.25 in (3.2 cm)  
**Length:** 5.9 in (15 cm)  
**Power Requirements:** One 3.7V 2200mA/Hr lithium-ion battery (rechargeable)  
**Weight (w/Battery):** 4.6 oz (130 g)  
**Run Time:** 4 hours (continuous)  
**Charge Time:** 4 hours (one or two batteries)  
**Charging Cradle:** Two-battery capability with AC and DC cord sets\*

① UV-A intensity reading taken with the Spectroline® AccuMAX™ Series meter, and is factory set to the value shown.   
 \*(Also available in 100-120V, 230V & 240V versions)



**OPTI-LUX™ 365 SERIES FLASHLIGHT KITS**  
 Come complete with OPX-365 LED UV-A (365 nm) lamp with lanyard, two rechargeable batteries, smart charging cradle with AC and DC cord sets, UV-absorbing spectacles, belt holder and a hard carrying case.

## HIGH-INTENSITY UV-A Beam Profile



## STANDARD-INTENSITY UV-A Beam Profile

